

Gestetner

TOTAL DOCUMENT SOLUTIONS



CP6334




ACCESSIBLE DOCUMENT
PRODUCTIVITY

A cost-effective combination of productivity and quality

Achieving high-quality printed output whilst maintaining control over costs is easily achievable with the Gestetner CP6334. This CopyPrinter delivers flexible document solutions, essential for Central Reprographic Departments (CRDs) and organizations such as community centres, educational and religious establishments.

Precise and accurate true 400dpi resolution, plus the option of spot colour means that professional-looking documents are only the touch of a button away. With fast print speeds and flexible paper handling features, all your documents are produced quickly and with impact. Using the built-in print controller, output is given even greater definition.

When your organization demands quality printing at low cost, the easy to use CopyPrinter CP6334 offers the best solution for everyone.



Gestetner's unique approach links people with knowledge and expertise, combining our wide experience of innovative, document related Products and Software solutions with our world class Business and Professional Services to deliver the best Total Document Solutions for your business.

Print documents in your preferred format with the easy-to-use RPCS printer driver



Manage a wide range of print demands with flexible paper handling



Excellent quality

High quality inks and master provide fantastic image quality at true 400dpi. The CP6334 produces a wide variety of documents with excellent solid fill, smooth halftone, crisp photographic images and perfect reproduction of fine text and lines. You can now print a range of documents, such as newsletters, forms, examination papers and manuals, meeting all your organization's demands.

Productive and cost effective

Delivering increased productivity with cost efficiency, the CP6334's fast 135 prints per minute (ppm) output speed enables large print runs to be completed in no time at all. Gestetner's sophisticated CopyPrinter technology means the more you print on the device, the more you save.

Further control with user codes

Keep printing cost-effective by allocating print costs by department. By entering a user code at the time of operation, the device can track each department's document history.

Versatile printing for everyone

The CP6334 gives you the flexibility of producing a wide range of documents plus the added impact of colour. From simple forms, to more complex print jobs such as leaflets, producing professional-looking documents is easy and you can even print multiple images simultaneously for greater efficiency. The flexible paper feed system enables you to print onto a variety of paper types and weights up to A3 in size, and its precision means that image quality is always accurate. CopyPrinters offer a range of standard colour ink, as well as a bespoke service to meet your individual colour needs cost effectively.

Simple network connectivity

With multiple connectivity options the CP6334 is easily implemented into your environment, offering you ease of use, enhanced output particularly with graphics, control over settings, and greater efficiency. The RPCS print driver, which can be combined with an optional PostScript module and Hard Disk Drive (HDD) unit, allows you to print documents directly from your network, whenever required. When printing from the device, the easy to use touch screen control panel will guide you effortlessly through even complex print jobs.

Kinder to the environment

The CP6334 features low power consumption and noise levels, offering a quiet operation for a printing device, whilst its natural soya-based ink is kind to the environment. The CP6334 also complies with EU environmental legislation, which means no lead, chromium, PVC or cadmium is used during the manufacturing process.

Outstanding Software and Services

Complementing the CP6334, Gestetner offers a superb range of Software Solutions and Services, which are designed to add value and ensure that our devices continue to operate seamlessly and reliably. Covering all aspects of your business, including document management, network control, consultancy, training and unrivalled support, these innovative products and services offer a tailor made solution to improve productivity, workflow efficiency and cost control throughout your organization.

Printer

Printer Language

Standard: RPCS™
Option: Adobe® PostScript® 3™

Interface

Standard: USB2.0,
Ethernet100BaseTX/10BaseT
Option: IEEE1284 Parallel Port,
IEEE802.11b Wireless LAN

Memory

Standard: 128MB (Resident 64MB +
64MB additional memory)
Maximum: 320MB with optional memory
(128MB or 256MB)

PC Operating Systems

Win 95, 98, Me, NT4.0, 2000, XP, Server2003
Mac OS8.6 - 9.2.2, OSX (10.1 - 10.3, 10.4)
Note: Mac OS only works for PS3

Network Protocol

TCP/IP, EtherTalk, NetBEUI, IPX/SPX, Apple Talk

General

Printing Process

Printer controller built-in, dual cylinder system

Originals

Sheets/Books

Original Size

Platen Glass: Maximum 300mm x 432mm
ADF: Maximum: 297mm x 864mm
Minimum: 148mm x 210mm

Print Paper Size

Maximum: 325mm x 447mm
Minimum: 70mm x 148mm

Print Paper Weights

47 - 210g/m²

Print Area

Maximum: 290mm x 412mm

Print Speed

60 - 135ppm for B4 and below
60 - 120ppm for A3

First Print Speed

12 seconds [A4]

Resolution

Scanning: 600 x 400dpi
Printing: 400 x 400dpi

Paper Capacity

1,000 sheets feed and delivery 80g/m²

Image Position

Vertical: ± 15mm
Horizontal: ± 10mm
Minimum movable unit: 0.25mm

Image Modes

Letter, Letter/Photo, Photo, Tint and Pencil

Reproduction Ratios

Preset enlargement: 115, 122, 141, 200%
Preset Reduction: 50, 61, 71, 82, 87, 93%
Zoom 50 - 200% in 1% steps

Power Consumption

Master Making: 355W
Printing: 270W (at 135ppm)
Energy saver mode: Below 8W

Power Source

220 - 240V, 50/60Hz

Dimensions (W x D x H)

1,420mm x 705mm x 1,020mm
ADF: 1,420mm x 705mm x 1,130mm

Weight

Platen cover: Below 103.5kg
ADF: Below 110.5kg

Added Value Features

Combine and Image Repeat Modes,
Skip Feed, Margin Erase, User Codes, Built in
Job Separator, Confidential Mode, Auto
Magnification, Directional Magnification,
Spot Colour Printing with Optional Colour
Drum Units, Overlay Mode, Programme Mode,
Class/Memory Mode, Makeup Function,
A4 master cut with A3 drum, Auto Density
Control, Security Mode (Drum Lock, Eject
Master box Lock), Energy Saver Mode or
Auto Shut Off Mode

TC-IIR – Twin Colour Printing System (Option)

Type

Twin colour press roller printing system

Speed

90 - 120ppm

Printing Paper Sizes

Maximum: 325mm x 447mm
Minimum: 70mm x 250mm

Image Position

Minimum movable unit: 0.125mm

Dimensions (W x D x H)

1,555mm x 630mm x 555mm

Weight

105kg

LS3000R – Large Capacity System (Option)

Configuration

Large capacity input tray - 3,000 sheets feed
Large capacity output tray - 3,000 sheets
delivery

Paper Sizes

Maximum: 325mm x 447mm
Minimum: 110mm x 180mm

Options

- 6GB Hard Disc (Document storage,
PostScript font installation)
- 50-sheet Auto Document Feeder
- Cabinets
- Professional Software Solutions
- Colour Drum Unit
- 128/256MB Memory

Software

SmartDeviceMonitor™, Web Image Monitor

Company management systems applied during the
manufacturing of all Gestetner products conform to
ISO9001 quality and ISO14001 environmental
management standards.

In compliance with EU RoHS directive
(RoHS: Restriction of Hazardous Substances).

We reserve the right to make amendments to the
technical specifications and external appearance of
this equipment. Please note that the full range of
options shown in this publication may not always be
available. All brand and product names are recognized
and hereby acknowledged, as registered trademarks
of their respective owners.



Adobe PostScript® 3™



6PE33404680

Gestetner

Part of the NRG group

www.gestetner.com

